CONTENTS

Preface viii

Research Papers

Seismic noise sampled in a worldwide experiment
E. Hjortenberg (Charlottenlund, Denmark) 1

Statistical adaptive algorithms for estimation of onset moments of seismic phases
V.F. Pisarenko, A.F. Kushnir and I.V. Savin (Moscow, U.S.S.R.) 4

Inversion of teleseismic P-wave particle motions for crustal structure in Fennoscandia
G.L. Kosarev, L.I. Makeyeva and L.P. Vinnik (Moscow, U.S.S.R.) 11

Source parameters of microearthquakes at Phlegraean Fields (Southern Italy) volcanic area
E. Del Pezzo, G. De Natale, M. Martini and A. Zollo (Napoli, Italy) 25

Local earthquake relative location by digital records
R. Console and R. Di Giovambattista (Rome, Italy) 43

Maximum-likelihood estimation of hypocenter with origin time eliminated using nonlinear inversion technique
N. Hirata and M. Matsu'ura (Tokyo, Japan) 50

Centroid-moment tensor solutions for the 51 IASPEI selected earthquakes, 1980–1984
G. Ekström, A.M. Dziewonski and J.H. Woodhouse (Cambridge, MA, U.S.A.) 62

Moment tensor solutions estimated using optimal filter theory for 51 selected earthquakes, 1980–1984
S.A. Sipkin (Denver, CO, U.S.A.) 67

Analysis of broadband seismograms from selected IASPEI events
G.L. Choy and E.R. Engdahl (Denver, CO, U.S.A.) 80

Application of the relative amplitude moment-tensor program to three intermediate-depth IASPEI earthquakes
R.M. Rogers and R.G. Pearce (Cardiff, Gt. Britain) 93

Moment tensors and source processes of three deep Sea of Okhotsk earthquakes
I.G. Stimpson and R.G. Pearce (Cardiff, Gt. Britain) 107

A comparison of source analysis methods as applied to earthquakes in Tibet
Ø. Pettersen (Kjeller, Norway) and D.J. Doornbos (Oslo, Norway) 125

The relative amplitude method applied to 19 March 1984 Uzbekistan earthquake and its aftershocks
R.G. Pearce (Cardiff, Gt. Britain) 137

The relative amplitude moment tensor method applied to the IASPEI deep earthquakes
I.G. Stimpson (Cardiff, Gt. Britain) 150

Modelling short-period crustal phases at regional distances for the seismic source parameter inversion
W.-Y. Kim (Uppsala, Sweden) 159

A maximum likelihood approach to nonlinear inversion under constraints
M. Matsu'ura and Y. Hasegawa (Tokyo, Japan) 179

Stacking investigations of the dispersion of higher order mantle Rayleigh waves and normal modes
E.A. Okal (Evanston, IL, U.S.A.) and B.-G. Jo (New Haven, CT, U.S.A.) 188

Three-dimensional velocity map of the upper mantle beneath the Pacific Ocean as determined from Rayleigh wave dispersion
D. Suetsugu and I. Nakanishi (Sapporo, Japan) 205

CONTENTS

Preface viii

Research Papers

Seismic noise sampled in a worldwide experiment
E. Hjortenberg (Charlottenlund, Denmark) 1

Statistical adaptive algorithms for estimation of onset moments of seismic phases
V.F. Pisarenko, A.F. Kushnir and I.V. Savin (Moscow, U.S.S.R.) 4

Inversion of teleseismic P-wave particle motions for crustal structure in Fennoscandia
G.L. Kosarev, L.I. Makeyeva and L.P. Vinnik (Moscow, U.S.S.R.) 11

Source parameters of microearthquakes at Phlegraean Fields (Southern Italy) volcanic area
E. Del Pezzo, G. De Natale, M. Martini and A. Zollo (Napoli, Italy) 25

Local earthquake relative location by digital records
R. Console and R. Di Giovambattista (Rome, Italy) 43

Maximum-likelihood estimation of hypocenter with origin time eliminated using nonlinear inversion technique
N. Hirata and M. Matsu'ura (Tokyo, Japan) 50

Centroid-moment tensor solutions for the 51 IASPEI selected earthquakes, 1980–1984
G. Ekström, A.M. Dziewonski and J.H. Woodhouse (Cambridge, MA, U.S.A.) 62

Moment tensor solutions estimated using optimal filter theory for 51 selected earthquakes, 1980–1984
S.A. Sipkin (Denver, CO, U.S.A.) 67

Analysis of broadband seismograms from selected IASPEI events
G.L. Choy and E.R. Engdahl (Denver, CO, U.S.A.) 80

Application of the relative amplitude moment-tensor program to three intermediate-depth IASPEI earthquakes
R.M. Rogers and R.G. Pearce (Cardiff, Gt. Britain) 93

Moment tensors and source processes of three deep Sea of Okhotsk earthquakes
I.G. Stimpson and R.G. Pearce (Cardiff, Gt. Britain) 107

A comparison of source analysis methods as applied to earthquakes in Tibet
Ø. Pettersen (Kjeller, Norway) and D.J. Doornbos (Oslo, Norway) 125

The relative amplitude method applied to 19 March 1984 Uzbekistan earthquake and its aftershocks
R.G. Pearce (Cardiff, Gt. Britain) 137

The relative amplitude moment tensor method applied to the IASPEI deep earthquakes
I.G. Stimpson (Cardiff, Gt. Britain) 150

Modelling short-period crustal phases at regional distances for the seismic source parameter inversion
W.-Y. Kim (Uppsala, Sweden) 159

A maximum likelihood approach to nonlinear inversion under constraints
M. Matsu'ura and Y. Hasegawa (Tokyo, Japan) 179

Stacking investigations of the dispersion of higher order mantle Rayleigh waves and normal modes
E.A. Okal (Evanston, IL, U.S.A.) and B.-G. Jo (New Haven, CT, U.S.A.) 188

Three-dimensional velocity map of the upper mantle beneath the Pacific Ocean as determined from Rayleigh wave dispersion
D. Suetsugu and I. Nakanishi (Sapporo, Japan) 205

Regional and azimuthal dependence of phase velocities of mantle Rayleigh waves in the Pacific Ocean
D. Suetsugu and I. Nakanishi (Sapporo, Japan) 230
Oriented olivine crystals in the upper mantle: a test from the inversion of multimode surface-wave data
M. Cara and J.J. Lévêque (Strasbourg, France) 246
Mantle wave deviations from 'pure-path' propagation on aspherical models of the Earth by Gaussian beam waveform synthesis
N. Jobert (Paris, France) 253
Surface wave amplitude anomalies: is reciprocity valid?
F. Tajima and J.D. Garmany (Austin, TX, U.S.A.) 267
Variational free oscillation computations for three laterally heterogeneous Earth models
S.P. Morris, R.J. Geller, H. Kawakatsu (Stanford, CA, U.S.A.) and S. Tsuboi (Tokyo, Japan) 288
Observational and theoretical constraints on crustal and upper mantle heterogeneity
B.L.N. Kennett (Canberra, Australia) 319
A Chebyshev condition for accelerating convergence of iterative tomographic methods—solving large least squares problems
A.H. Olson (La Jolla, CA, U.S.A.) 333
Spectral methods for bulk and guided waves in weakly inhomogeneous media
L.B. Felsen (Farmingdale, NY, U.S.A.) 346